

The ALTAIR Software Library Update contains all of the programs that have been accepted into the Library so far. Each month, an add-on page(s) will be inserted into Computer Notes, listing the programs that appeared in the previous issue.

The fees for the programs are also listed. These fees are charged only so that MITS can cover the cost of printing and mailing the programs.

#### SOFTWARE CONTEST:

Members will be encouraged to submit programs for the ALTAIR Library. These programs will be one of two categories: A. Subroutines, and B. Major Programs. All programs will be screened and tested by MITS.

Once a program has been found to be acceptable, it will be included in the ALTAIR Library and a description of the program will be printed in the User's Club newsletter. The author of the program will be entitled to a free printout of any two programs from the ALTAIR Library. (value up to \$10.00)

There will be prizes awarded to the authors of the best programs. The prize for the best "major program" (announced in each newsletter) will be \$50.00 credit toward the purchase of an ALTAIR or ALTAIR options. Second prize will be \$25.00 credit and third place will be \$15.00 credit. The author of the best "sub-routine" will receive \$25.00 credit. Second prize for a "sub-routine" will be \$15.00 credit.

A grand prize of \$1,000.00 credit will be awarded each year to the author of the overall best "major program". A prize of \$250.00 credit will be awarded to the author of the best "sub-routine".

MITS employees and their families will be encouraged to be members of the ALTAIR User's Club, however, they will not be eligible for prizes. Contest void where prohibited by law.

#### ENTRY INSTRUCTIONS:

In order that programs can be reproduced for distribution to other ALTAIR owners, they should be typewritten using a ribbon that produces fairly dark type. It is desirable that assembly language and machine language programs be submitted on official Coding Forms or printed copies of such forms. Coding Forms are purchased from MITS in batches of 50 for \$2.00. When ordering Coding Forms, please specify how many cover sheets you want included in that batch. (One cover sheet for each program to be submitted.)

If you are re-using the MITS Coding Forms, be sure your entry is on 8 1/2" x 11" white paper. Teletype printouts and Xerox copies are not acceptable.

# altair software library update

C

C

C

#422751--\$2.00

Author: Robert Rydel  
 Length: 25 bytes, first program  
 32 bytes, second program  
 Two pseudorandom number generators:  
 They use "the multiplicative congru-  
 ential method for producing pseudo-  
 random numbers.  
 Second program: produces 16-bit  
 random numbers that repeat every  
 2<sup>14</sup> random numbers.

#429751--\$2.00

Author: Martin C. Beattie, M. D.  
 Length: 102 bytes  
 Game program that plays the follow-  
 ing game:  
 There are 15 chips. Each player  
 takes 1, 2, or 3, and the person  
 to take the last one loses. The  
 numbers 3 and 15 can be set as de-  
 sired. Either player or computer  
 goes first.

#55751--\$3.00

Author: Lee M. Eastburn  
 Length: 256 bytes  
 Binary to BCD conversion.  
 Binary number is 3 bytes long.

#516751--\$3.00

Author: George Muttick  
 Length: 64 bytes  
 RAM Diagnostic Program. It runs  
 "continuously until halted by a mem-  
 ory access error or stopped by oper-  
 ator. All RAM locations are written  
 into and accessed for all 256 poss-  
 ible 8 bit data word combinations."

#516753--\$2.00

Author: Harold S. Corbin  
 Length: 43 bytes  
 A debugging routine that when called  
 saves the SP, top entry of stack, A,  
 B, C, D, E, H, L, and all flags ex-  
 cept carry in core so they can be  
 examined. Another entry port re-  
 turns to the program.

#519751--\$2.00

Author: Dr. Oscar Goldman  
 Length: 48 bytes  
 Forms an 8-bit "maximal length shift  
 register sequence" which "consists  
 of the 2<sup>8</sup> distinct words ... arranged  
 according to the following rules:  
 The first word is 000 and each word  
 is constructed from the previous one  
 by first shifting left one place and  
 then filling the vacated right-most  
 spot with a 0 or a 1."

#519753--\$2.00

Author: Martin C. Beattie, M. D.  
 Length: 111 bytes  
 Game program that plays the game of  
 NIM:  
 Arrange any number of chips in any  
 number of rows. Each player may re-  
 move any number of chips from any  
 one row. The person who takes the  
 last chip wins.  
 Program Limits: Up to 10 rows of  
 256 chips each. Either player or  
 computer goes first.

#521751--\$15.00

Author: Jim Gerow  
 Length: About 30 line printer pages  
 This program assembles programs for  
 the ALTAIR 8800. It is written in  
 ANSI standard Fortran IV. The out-  
 put and input are in either octal,  
 decimal or hexadecimal.

#523751--\$4.00

Author: Daniel Lovse  
 A series of programs that form a  
 cross-assembler for the ALTAIR 8800.  
 They are written for a PDP-8 running  
 under OS/8, and use the PAL-8 assem-  
 bler.

#527751--\$2.00

Author: Randall K. Webb  
 Length: 40 bytes, first program  
 19 bytes, second program  
 26 bytes, third program  
 First Program: estimate of the stan-  
 dard deviation of a list of positive  
 numbers.  
 Second Program: approximation of  
 binary logarithm.  
 Third Program: bit reversal of a  
 word.

ALTAIR SOFTWARE LIBRARY

#62751--\$2.00

Author: Roger L. Smith  
Length: 43 bytes

This program plays music through an amplifier connected with a capacitor to an output port. Include 96 byte sample song.

#62752--\$3.00

Author: Lee M. Eastburn  
Length: 256 bytes

BCD to Binary conversion.  
BCD number is 4 digits long.  
Binary number is 3 bytes long.

#63751--\$2.00

Author: Ronald B. Keele  
Length: 7 bytes  
Memory clear.

#611751--\$3.00

Author: Randolph C. Wilhoit  
Length: 228 bytes

This program makes a copy of a program in memory at specified locations and adjusts internal addresses in the program to correspond to the new location. There are options to make a copy of the program with no changes, to take the upper and lower limits from registers or the stack, to adjust memory references in a program without relocating it, and to adjust memory references from a group of specified instructions only.

#616751--\$2.00

Author: L. M. Eastburn  
Length: 250 bytes  
Sort Program using bubble sort.  
Allows specification of data size and sort field.

#630751--\$2.00

Author: Jim Babcock  
Length: BASIC, about 250 lines  
Plays famous Las Vegas Card game.

#711751--\$2.00

Author: L. M. Eastburn  
Length: 180 bytes  
Program to relocate other programs.  
Modified instruction operands when appropriate.

#714751--\$2.00

Author: Donald Tork  
Length: 33 bytes  
Loads data from an ASCII device into memory.

#717751--\$2.00

Author: Samuel Cook  
Length: 22 bytes  
The interrupt light on the front panel is turned on and off in a loop that gets smaller and smaller, starting at 1.8 seconds.

#717752 & #717753--\$2.00 each

Author: Dr. George Haller  
Length: 30 bytes each  
One program (#717752) does a descending sort and the other (#717753) does an ascending sort. Both use a bubble sort. The lists to be sorted consist of single bytes, all of which are used as the sort field.

#721751--\$2.00

Author: Gary Tack  
Length: 240 bytes  
Plays tic-tac-toe. Uses the switches and lights.

#721752--\$2.00

Author: Dennis Bahr  
Length: 25 bytes  
RAM memory test program. Tests all locations between a lower and upper bound with all possible values.

#721753--\$2.00

Author: Matthew Smith  
Length: 44 bytes  
FLASH displays patterns in the lights.  
Good demonstration program.

#722751--\$2.00

Author: Roger Gulbranson  
Length: 35-80 bytes depending on how much data is used.  
Generates 16-bit random numbers using generalized feedback shift register algorithm.

#724751--\$2.00

Author: Billy Wood  
Length: 40 bytes  
RAM memory diagnostic. Goes through memory testing locations with all bits on, and one off and vice versa.

#725751--\$2.00

(formerly misprinted as #722751)  
 Author: Herb Archer  
 Length: 35 bytes  
 RAM test program. Two different bit patterns are stored in each memory cell and checked for accuracy.

#725752--\$2.00

Author: Daniel Lomax  
 Length: 31 bytes  
 Program that finds out where it is in memory and then relocates itself to the page in the switch register.

#728752--\$2.00

Author: J. R. Scott  
 Length: 36 bytes  
 Translates some Baudot character codes to ASCII equivalent.

#730751--\$2.00

Author: John Klein  
 Length: About 200 lines of BASIC  
 Plays blackjack. Full instructions given with the program.

#731751--No charge

Author: Ward Christensen  
 Length: 2 bytes  
 Memory clear.

0000 063 INX SP  
 0001 307 RST 0

#84751--\$2.00

Author: Nilton G. Gimenes  
 Length: 15 bytes for each routine  
 Octal/ASCII--ASCII/octal conversion routines for octal digits/characters stored in six sequential memory locations.

#84752--\$2.00

Author: Nilton G. Gimenes  
 Length: 28 bytes  
 Translates six octal digits in consecutive locations in memory to a double byte value in [D, E].

#84753--\$2.00

Author: Nilton G. Gimes  
 Length: 33 bytes  
 Converts a 2-byte unsigned number into 6 individual octal digits in consecutive memory locations.

#88751--\$2.00

Author: Charlie Shields  
 Length: 22 bytes  
 Outputs 1's to an I/O port a selected percentage of the time. Outputs 0's the rest of the time.

#811751--\$2.00

Author: Donald S. Tork  
 Length: 74 bytes  
 Searches a table of up to 255 entries of up to 255 byte strings for a match on the search string, which may also be up to 255 bytes long.

#811753--\$2.00

Author: Thomas D. Thomas  
 Length: 19 bytes  
 Adds a quadruple byte integer pointed to by [H, L] to registers [B, C, D, E].

#813751--\$2.00

Author: John S. Robison  
 Length: 277 bytes  
 Tests ACR interface by comparing the record line output to the input from the monitor playback output from those tape machines which have monitor capability.

#813752--No charge

Author: David Nowak  
 Length: 4 bytes  
 Subroutine to do a relative jump using a displacement in [D, E].  
 Could be used as an RST.

```
RJMP: XTHL ;Get return address in
        ;[H, L].
        ;Save [H, L] on stack
DAD D ;Add on displacement
XTHL ;Save back return
        ;address and restore
        ;[H, L]
RET ;Do relative branch
```

#815751--\$2.00

Author: John Trautschold  
 Length: 476 bytes  
 Multiplies a 12-digit floating point number times an 8-digit floating point number.

#818751--\$2.00

Author: Jonathan Griffiths  
 Length: 23 bytes  
 Displays the contents of the accumulator in the address lights

ALTAIR SOFTWARE LIBRARY

#818752--\$5.00

Author: Steve Phillips  
Length: 477 bytes  
Quadruple byte signed integer manipulation package. Addition, subtraction, multiplication, division, as well as sign and zero value testing and other useful routines.

#825751--\$2.00

Author: Richard L. Berg  
Length: 34 bytes  
Simple memory test. Halts when finds a bad location.

#825754--\$2.00

Author: Dr. Jack W. Crenshaw  
Length: 16 bytes  
ASCII/HEX--HEX/ASCII conversion subroutines.

#829751--\$2.00

Author: R. J. Walker  
Length: 57 bytes  
Loads checksummed 4K or 8K ALTAIR BASIC from an unmodified PIO board.

#92751--\$2.00

Author: Dean B. McDaniel  
Length: 23 bytes  
"Object: To kill the rotating bit. If you miss the lit bit another one at that sense switch position will turn on, now leaving you two bits to destroy."

#94751--\$2.00

Author: Carl Swift  
Length: 15 and 11 statements  
BASIC programs to dump/store memory in octal using ALTAIR BASIC's PEEK and POKE statements.

#99751 & #99752--\$2.00 each

Author: Gary Tack  
Length: 21 and 27 bytes  
Routines to add (#99752) or subtract (#99751) two 16-digit BCD numbers.

#910751--\$2.00

Author: Ross E. Housholder  
Length: 22 pages  
A very complete discussion of playing music on the ALTAIR, including translation programs and an improved PLAY program with source instructions.

#911751--\$2.00

Author: Dale J. Travis  
Length: 16 bytes  
Subroutine to convert binary to a 3-digit BCD number.

#912751--\$2.00

Author: Gerhald Hansel  
Length: 70 lines  
A BASIC program that plays roulette.

#912752--\$2.00

Author: Bob Omer  
Length: 78 lines  
BASIC program that plays the Stick game. Instructions available when the program is run.

#916751--\$2.00

Author: Gary Tack  
Length: 128 bytes  
Program to play DICE with a basic ALTAIR.

#920751--\$2.00

Author: Dale J. Travis  
Length: Approx. 80 bytes  
Converts an ASCII string in decimal to a signed 16-bit number.

#920752--\$2.00

Author: Dale J. Travis  
Length: Approx. 120 bytes  
Program to convert a 16-bit signed integer to an ASCII string of decimal digits.

#929751--\$2.00

Author: Roger Walker  
Length: 58 bytes  
Dumps a block of memory in checksum format.

#102751--\$2.00

Author: Robert Rydel  
Length: 82 bytes  
"Error Detection Code Generator/Checker". Generates cyclic redundancy check (CRC) to allow for doing error detection.

#106751--\$2.00

Author: Gerard Bilodeau  
Length: 25 bytes  
A message print subroutine. Allows for embedded carriage return/line feeds and any delimiter character.

#109751--\$2.00

Author: William D. Roch

Length: 30 lines

A BASIC program to calculate the number of days between two dates. Takes leap years into consideration.

#1010751-\$2.00

Author: Jacques Roth

Length: 256 bytes

Program to play the "Bagels" game with a minimum ALTAIR. Instructions included.

#1010752-\$2.00

Author: Jacques Roth

Length: 19 bytes

Timing subroutine. Delays a specified number of seconds.

#1014751-\$2.00

Author: Jack O. Coats, Jr.

Length: 73 bytes

Loads data from terminal into memory and executes data after the termination character. Currently written to work with a terminal connected through a parallel I/O board.

#1016751-\$2.00

Author: Steve Caldara

Length: 21 lines

A BASIC "Lunar Lander" program.

#1016752--\$8.00

Author: Ian D. Kettleborough

Length: 44 pages

A Fortran IV cross-assembler, currently running on a Data-General. Several listing options, as well as an object dump can be selected. Conditional assembly provided for.

#1020751--\$2.00

Author: Gerhald Hansel

Length: 46 lines of Basic

Title: Addition problems

Produces a group of math addition problems and answers. Written to use PRINT USING, a feature of Extended Basic, to format its output.

#1020752--\$2.00

Author: Lee Eastburn

Length: 290 locations

Title: Print program

Dumps a program with page headings, an address field, and the octal contents of the address. Columns are provided to fill in labels, instruction mnemonics and comments.

#1021751--\$2.00

Author: Jack Coats, Jr.

Length: 46 bytes

Title: A Dual-Tasker

An interrupt level routine to switch between two tasks. Context is saved on the stack and the stack pointer is saved in memory.

#1027751--\$2.00

Author: Jack Coats, Jr.

Length: 43 bytes

Title: Time of Day Routine

Using the real-time-clock interrupts this program keeps track of the hours, minutes, seconds, and hundredths of seconds that elapse. The data is stored in binary coded decimal.

#1027752--\$2.00

Author: Roger J. Walker

Length: 53 bytes

Title: TVTDR-I/O handler for TVT-II

TVTDR is designed to overcome a deficiency in the TVT-II that prevents it from blanking to the end of the line when a carriage return is output. The appropriate number of spaces are output instead of a carriage return. Instructions for interfacing to ALTAIR BASIC are given.

#1030751--\$2.00

Author: Lee Eastburn

Length: LOAD section-71 bytes

DUMP section-96 bytes

Title: ASCII Octal Loader and Dumper

The DUMP section outputs the contents of the block of memory in ASCII octal (3 characters ["0" - "7"] for each byte). Twenty bytes are printed on each line of output. The LOAD section loads a tape of the same format, ignoring all characters except "0" through "7". The start and end locations are specified by changing LXIs in the programs themselves.

ALTAIR SOFTWARE LIBRARY

#1030752--\$2.00

Author: John Trautschold  
Length: 16 bytes  
Title: VLCT load program  
Allows entry of a load address and program data in octal from a VLCT keyboard. The entered data is displayed for verification. Documented with high 8-bits of start address as "XXX" so the program can easily be located at the start of any memory page (a block of 256 consecutive memory locations, the first location of which has an address divisible by 256 [decimal]).

#113751--\$2.00

Author: Jack Coats, Jr.  
Length: 83 bytes  
Title: BCD multiplication subroutine  
Currently set up to multiply two 8-digit numbers in memory and give a 16-digit number in memory for a result. Can be changed for different size numbers without much difficulty.

#117751--\$5.00

Author: S. Armstrong  
Length: 124 instruction bytes (not including embedded NOPS)  
342 data bytes  
Title: Punch tape label  
Punches paper tape labels by using 5 tape frames to make a block letter. Can "print" any alphabetic, numeric, or common delimiter. Additional characters can easily be added. "Prints" an entire line at once with separating blanks.

#117752--no charge

Author: Jerry Ford  
Length: 318 bytes  
Title: JAMON - a teletype monitor  
This monitor allows examining (dumping) of memory blocks, depositing into memory blocks and jumping to a specified address. All inputs and outputs are in octal. Subroutines for character input, character output, octal input and octal output are included.

#1117751--\$2.00

Author: George Rompot  
Length: 41 bytes  
Title: GET - a "Lifeline" subroutine  
A well-documented subroutine to perform the functions of the TGET and LGET subroutines specified in the lifeline article in Byte magazine. (October 1975, pp. 34-41) Includes test routine.

#1117752--\$2.00

Author: George Rompot  
Length: 25 bytes  
Title: CHECK  
A well-documented subroutine to calculate a 16-bit sum of an area of core specified in the calling parameters. Optionally checks the computed checksum with a checksum provided in the calling sequence. A testing program is included.

#1121751--\$2.00

Author: Gary Tack  
Length: 152 bytes  
Title: Random Magic Squares  
Generates 3 numbers which are used to make a magic square (a 3x3 grid in which the sums of the numbers in each row, column, and diagonal are equal). All "magic squares" can be generated since 3 numbers characterize a magic square. Each group of 3 numbers generates a distinct magic square. Stores magic square information in memory. Doesn't do any input/output.

#1123751--\$15.00

Author: Jim Gerow  
Length: 33 pages  
Title: A FORTRAN simulator for the 8080

A FORTRAN program to take as input the code generated by Mr. Gerow's Cross Assembler (#521751) and simulate the ALTAIR'S execution of the code. Extremely useful for debugging. A manual is included with the source listing. A list of changes to be made to cross assemblers received before December 1, 1975, to allow them to work with the simulator is given.



#1124751--\$2.00

Author: George Rompot

Length: 7 &amp; 9 bytes

Title: RDEL &amp; RHLDEL

A 16-bit left shift routine for [D, E] and a 32-bit left shift routine for [H, L, D, E].

#1124752--\$2.00

Author: George Rompot

Length: 26 bytes

Title: MPY8

A subroutine to multiply [C] by [D, E], leaving the result in [H, L]. Overflow is handled by a special return sequence. The 2-byte left shift routine in #1124751 is called.

#1124753--\$2.00

Author: George Rompot

Length: 44 bytes

Title: DIV 16

Divides two 16-bit unsigned integer values. Returns a 16-bit quotient and a 16-bit remainder. Uses subroutine #1124752.

#1125751--\$2.00

Author: Christopher Terry

Length: 23 lines

Title: INDEL

Basic subroutine "INDEL" which inserts a fixed length digit string in, or deletes it from a string which can contain multiple digit strings. Several examples are given.

#1125752--\$2.00

Author: Matthew Smith

Length: 56 bytes

Title: Random 16

Generates a 16-bit random number. All possible numbers are generated before any number repeats.

#1125753--\$2.00

Author: Craig Pearce

Length: 43 bytes

Title: Number Guessing Routine

A well-documented routine that uses the front panel to play a high/low number guessing game with the user. (Good illustration of basic techniques.)

#1125759--\$2.00

Author: J. Scott Williams

Length: 50 lines

Title: Basic Cassette Dumper

A very handy program that allows data on cassette to be printed out in ASCII, octal, hex, or decimal. Full instructions and examples are given.

#1201751--\$15.00

Author: Lee Eastburn

Length: 309 program bytes,  
1536 data bytes

Title: BLAZER

Prints 4 block letters using 64 characters across and 12 lines vertically. All printing characters are provided for, and "custom" characters can easily be added. Allows for characters to be printed and background blank, or character to be blank and background printed. The characters used in making the blocks are part of the input to the program.

#1201752--\$2.00

Author: Jeffrey Clark

Length: 59 bytes

Title: Display Clock

A clock subroutine which displays either the second, minute, hour, or day in the address lights, depending on the sense switches. The initial time can be entered in locations 100-103.

#1201753--\$2.00

Author: Jeffrey Clark

Length: 9-136 bytes

Title: RELJMP

Uses an RST subroutine to allow 2-byte jumps to locations within 128 bytes of the jump. Similar to M6800's "BRA", and can be used to make long programs shorter.

#1201754--\$2.00

Author: Jack Coats

Length: 12 bytes

Title: Vectored Branch

A subroutine that branches back to a location 2 \* [A] beyond the call.

ALTAIR SOFTWARE LIBRARY

#1201755--\$2.00

Author: Gary Rupert  
Length: 21 bytes  
Title: Set Memory Demo  
Stores the low 8 bits of each address in that address up to a specified limit.

#1203751--\$15.00

Author: Jim Gerow  
Length: 867 bytes  
Title: 8800 Mini-Monitor  
A complete monitor that provides several commands:

- Examine - prints contents of a single location
- Deposit - store into a location
- Program - give a start address and program data
- Run - start execution at a given address
- Tape - I, O, or V -- allows programs to be dumped to, input from, or verified on cassette.
- Search - scans memory for a specific value.
- Clear - zero locations between two addresses
- List - display memory contents between two locations

#1208751--\$2.00

Author: Gordon Burditt  
Length: 16 bytes  
Title: Vectored RST  
Allows up to 256 3-byte RST instructions by using a normal RST followed by an argument. Non-interruptable and impractical, since a CALL to each routine would be simpler, but very illustrative of stack techniques.

#1209751--\$2.00

Author: Alan Miller  
Length: 20 bytes  
Title: Count in Lights  
Using a modifiable delay period, this program counts in the upper eight address lights.

#1216751--\$2.00

Author: Sasan Ardalan  
Length: 15 bytes  
Title: 8-bit BCD to Binary  
A non-looping BCD to binary routine. Execution takes 42 microseconds and all registers are

#1217751--\$5.00

Author: Lee Eastburn  
Length: 335 bytes  
Title: Calendar Printer  
Prints a calendar for any month. When the box for each day is typed, the user can type a single character to select one of the preset messages or a special message can be typed in. The format is 71 characters across (10 per day) and 64 lines vertically. The heading includes month name, and day name for each column.

#1217552--\$5.00

Author: Walter King  
Length: 384 bytes  
Title: Micro-operating System  
An extremely handy operating system that allows saving and loading from cassette, dumping of memory locations, running of programs; and provides subroutines for character input, character output, string output, cassette input, and cassette output. Functions such as program loading can be done with program calls.

#1223751--\$2.00

Author: Frederick Dingwall  
Length: 48 bytes  
Title: 8-bit Octal Input  
Inputs 3 ASCII characters which are converted to an 8-bit number which is stored in memory. Allows contents of consecutive locations to be stored in order of input.

#1223752--\$2.00

Author: Frederick Dingwall  
Length: 48 bytes  
Title: 8-bit Hexadecimal Input  
Same as #1223751, except numbers are input as 2-character hexadecimal constants.

#1229752--\$2.00

Author: Matthew Smith  
Length: 59 bytes  
Title: Ping Pong  
Game program in which players flip switches to control the "ping pong ball" (lit bit).

#1-5-761--\$2.00

Author: Adolph P. Stumpf

Length: 247 bytes

Title: LIFE

Plays the game LIFE on a TVT-2, but can be modified to run on other terminals.

#1-8-761--\$2.00

Author: J. W. McCarty

Length: 32 bytes

Title: String Table Search

Uses a search tree to match a string against a table of reserved words.

#1-14-761--\$2.00

Author: Mark Prinsen

Length: 324 lines (BASIC)

Title: Stock Market Simulation

Allows up to 10 players to play a simulated stock market. Slight changes are necessary to run in ALTAIR BASIC.

#1-15-761--\$2.00

Author: Don Baechtel

Length: 84 bytes

Title: TAPELOAD

Loads an ASCII octal paper tape into memory.

#1-15-762--\$2.00

Author: Don Baechtel

Length: 28 bytes

Title: DIV

Divides an 8 bit unsigned binary number by an 8 bit unsigned binary number.

#1-15-763--\$2.00

Author: Don Baechtel

Length: 157 bytes

Title: CDUMP

"Core" dump program which dumps memory in octal and in equivalent ASCII characters.

#1-15-764--\$2.00

Author: Don Baechtel

Length: 13 bytes

Title: MULT

8 bit times 8 bit unsigned binary multiply.

#1-15-765--\$2.00

Author: Don Baechtel

Length: 57 bytes

Title: MBSHIFT

Shifts up to 64K bytes, up to 256 places left or right with zero fill into the empty positions.

#1-15-766--\$2.00

Author: Don Baechtel

Length: 33 bytes

Title: APTLOAD

Absolute boot loader.

#1-20-761--\$2.00

Author: Erik T. Mueller

Length: 206 bytes

Title: Number Guessing Game

User must try to guess a number between 0 and 255. Assumes a TVT-II is the terminal.

#1-21-761--\$5.00

Authors: John Arnold and Dick Whipple

Length: Approximately 500 bytes

Title: ASCII Monitor/Editor

Following commands are included:

DOP-Dump Octal

LDO-Load Octal

EDT-Change memory

SBP-Set Break Point

CBP-Clear Break Point

XQT-Execute

RDC-Read Data from Cassette

WDC-Write Data to Cassette

RUN-Start User Program

CPY-Block memory move

MSG-send characters to output device

#1-22-761--\$2.00

Author: William A. Ruggirello

Length: 106 bytes

Title: 16 Bit Divide

Divides a 16 bit unsigned binary number and rounds up the 16 bit result.

ALTAIR SOFTWARE LIBRARY

#1-23-761--\$2.00

Author: Harold A. Corbin

Length: 310 bytes

Title: Paper tape Editor

This editor allows corrections to be made to a line as it is typed in, and automatically adjust input fields on each line to satisfy the input field requirements for a multi pass 8080 assembler.

#1-28-761--\$2.00

Author: Martin H. Eastburn

Length: 48 bytes

Title: Memory Test

Simple memory test by another member of that prolific group of programmers, the Eastburn family.

#2-2-761--\$2.00

Author: M. A. Enkelis

Length: 19 lines (BASIC)

Title: Julian Calendar

#2-2-762--\$2.00

Author: M. A. Enkelis

Length: 76 lines (BASIC)

Title: LUNAR LANDER

Game to simulate landing of lunar module on the moon.

#2-2-763--\$2.00

Author: M. A. Enkelis

Length: 7 lines (BASIC)

Title: Pseudo Random Number Generator

Generates a 16 bit pseudo random integer.

#2-2-764--\$2.00

Author: M. A. Enkelis

Length: 20 bytes

Title: 16-bit Delay

This subroutine loops for a number of seconds, minutes and hours--up to 12 hours.

#2-3-761--\$15.00

Author: L. M. Eastburn

Length: 2125 bytes

Title: BIOPLOT

Huge machine language program which plots graphically on a teletype or other terminal a person's 23 day physical & 28 day sensitivity and 33 day cognitive biorhythm cycles.

#2-5-761--\$2.00

Author: George W. Rompot

Length: 49 bytes

Title: ASCII Keyboard Load

Loads Octal data through a keyboard into memory.

#2-12-761--\$2.00

Author: Sidney Rosell

Length: 45 bytes

Title: Memory Test and Clear Routine

Simple memory test. Can also be used to clear memory.

#2-13-761--\$2.00

Author: Roger Walker

Length: 238 bytes

Title: OCTAL MINI-MONITOR

#2-18-761--\$2.00

Author: Jack O. Coats, Jr.

Length: 53 bytes

Title: 5BCDBIN

Converts a 5-digit BCD number in memory to a 16-bit integer value.

#2-18-762--\$2.00

Author: R. H. Hann

Length: 126 lines (BASIC)

Title: Tic-tac-toe

This "heuristic" (learning) program plays tic-tac-toe.

#2-18-763--\$5.00

Author: L. M. Eastburn

Length: 319 bytes

Title: TTY utility

This is a general purpose program to use a TTY and VLCT. One can have the program type a variety of repetitive remarks like Xmas greetings. It provides routines that will backspace and execute TAB functions on a TTY.

#2-20-761--\$2.00

Author: Joe W. McCarty

Length: 223 bytes

Title: FIFO

General purpose routines to implement any number at stacks, to check when stacks are full, PUSH and POP entries on stacks, etc.

#2-20-762--\$2.00

Author: Jack O. Coats, Jr.

Length: 15 bytes

Title: Computer GO TO

Branches to the nth address following the subroutine call. Destroys PSW, A, H, &amp; L.

#2-23-761--\$2.00

Author: Bill Thompson

Length: Approximately 250 lines (BASIC)

Title: Astronomical OPTICS

Computer ray trace. Needs about 12K with 8K BASIC.

#2-24-761--\$2.00

Author: Robert Riskin

Length: 12 lines

Title: FRETS

This program calculates and prints the distances of any number of frets from either the neck or bridge of a musical instrument of any scale length, rounded to two places.

#2-26-761--\$2.00

Author: Martin H. Eastburn

Length: 56 bytes

Title: Distribution Analysis

This program sorts through a string of bytes while keeping track of the quantity of each possible number encountered.

#2-26-762--\$2.00

Author: Jerry A. Ford

Length: 28/33 bytes

Title: TDUMP/TLOAD

Memory dump/load routines to use with JAMON.

#2-26-763--\$2.00

Author: Jerry A. Ford

Length: 121 bytes

Title: JABUG

Simple breakpoint routine which types out registers.

#2-27-761--\$2.00

Author: Harold Corbin

Length: 46 lines (ALTAIR BASIC)

Title: XYLOT

Produces an X-Y plot of a single valued function.

#3-1-761--\$2.00

Author: Amos D. Conard

Length: 21 lines (ALTAIR BASIC)

Title: NUMGUESS

Simple number guessing game.

#3-1-762--\$2.00

Author: Robin Myers

Length: 73 bytes

Title: BRIDGET

Plays game of BRIDGET. No I/O device needed.

#3-1-763--\$2.00

Author: Roger Walker

Length: 83 bytes

Title: CDUMP

General purpose routine to dump memory in MITS binary checksummed format.

#3-1-764--\$2.00

Author: Harold Corbin

Length: 60 lines (ALTAIR BASIC)

Title: BIORYTHM

Produces biorythm plots.

#3-1-765--\$2.00

Author: Harold Corbin  
 Length: 26 lines (ALTAIR BASIC)  
 Title: LIFE  
 Plays popular LIFE game.

#3-2-761--\$2.00

Author: Alan R. Miller  
 Length: 122 bytes  
 Title: HEXMON  
 Allows JAMON (#117752) to accept and output information in hex for the L, D, or G commands.

#3-3-761--\$2.00

Author: Henry E. Lacy  
 Length: 75 bytes  
 Title: Security Access Routine  
 Subroutine for use with JAMON which verifies a 5-character password before allowing the user access to the system.

#3-4-761--\$2.00

Author: Ian Kettleborough  
 Length: 201 bytes  
 Title: Binary Loader  
 Modified version of MITS checksum loader which will automatically relocate itself to any area of memory.

#3-9-761--\$2.00

Author: Alan R. Miller  
 Length: 63 bytes  
 Title: Memory Check  
 Memory test for use with JAMON. Count test (writes 0-377 octal in every byte in memory).

#3-9-762--\$2.00

Author: Alan R. Miller  
 Length: 19 bytes  
 Title: Memory Preset  
 Sets a block of memory to a predefined value.

#3-9-763--\$2.00

Author: John E. Budnick  
 Length: About 350 bytes  
 Title: MASTERMIND  
 Game where player attempts to break a code devised by other player (Altair). Needs a terminal.

#3-12-761--\$2.00

Author: R. H. Hann  
 Length: 152 lines (BASIC)  
 Title: STAR TREK  
 Plays a game based on popular TV show.

#3-12-762--\$2.00

Author: R. H. Hann  
 Length: 95 lines BASIC  
 Title: TIC-TAC-TOE  
 Plays tic-tac-toe.

#3-12-763--\$2.00

Author: Christopher J. Flynn  
 Length: About 100 bytes  
 Title: ASCII ACR I/O routines  
 Modifications to MITS ALTAIR BASIC which allow programs to be saved on cassette in source (ASCII) form.

#3-15-761--\$2.00

Author: David D. Welter  
 Length: 726 lines (IBM 360 Assembler)  
 Title: ASM8080  
 Cross-assembler for the Altair 8800 written in MACROS in system 360 assembly language.

#3-16-761--\$2.00

Author: Joe Konard  
 Length: 72 lines (ALTAIR BASIC)  
 Title: PAPER TAPE  
 This well written program punches paper tape labels in human readable format.

#3-16-762--\$2.00

Author: Erik T. Mueller  
 Length: 129 bytes  
 Title: Rocket  
 Plays "lunar lander program" on a TVT-II.

#3-16-763--\$2.00

Author: Erik T. Mueller  
 Length: 182 bytes  
 Title: ESMO  
 Very compact monitor. Has commands for entering and dumping memory locations in octal, and for starting program execution at a specified location.

#3-19-761 - \$2.00

Author: Don Baechtel  
 Length: 61 bytes  
 Title: REG DEC  
 Decimal print routine, outputs  
 [H,L] registers.

#3-22-761 - \$2.00

Author: Alan R. Miller  
 Length: 512 bytes  
 Title: PROMON  
 PROM version of JAMON which assumes  
 a 2SIO interface board and an ACR  
 board as I/O devices. 12K, 8K, and  
 4K cassette boot loaders are also  
 available on the PROM.

#3-24-761 - \$2.00

Author: Martin H. Eastburn  
 Length: 47 bytes  
 Title: Numerical Order Sorter  
 Machine Language.

#3-24-762 - \$2.00

Author: William O. Fisher  
 Length: 120 lines (Altair BASIC)  
 Title: Gregorian Calendar Program  
 Allows the user to print out a cal-  
 endar, find the day of the week of  
 a given date, etc.

#3-31-761 - \$2.00

Author: Alan R. Miller  
 Length: 70 bytes  
 Title: RELOCATE  
 Changes address of JMPs and CALLs  
 to relocate an assembly language  
 program in memory.

#4-1-761 - \$2.00

Author: Jim Gerow  
 Length: 92 lines (Altair BASIC)  
 Title: MATINV  
 Uses Gaussian elimination with pi-  
 voting to invert a matrix.

#4-1-762 - \$2.00

Author: Joe W. McCarty  
 Length: About 100 bytes  
 Title: 1POP, 2POP, 1PUSH, 2PUSH  
 Routines to POP and PUSH entries deep  
 on the stack passed as parameters to  
 a subroutine.

#4-6-761 - \$2.00

Author: Walter S. King  
 Length: 34 bytes  
 Title: IPL  
 Boot loader suited for a diode ma-  
 trix or PROM.

#4-9-761 - \$2.00

Author: Alan R. Miller  
 Length: 56 bytes  
 Title: TAPECHK  
 Compares tape dump of memory against  
 memory that was dumped.

#4-9-762 - \$2.00

Author: Paul Braddock  
 Length: 200 bytes  
 Title: MUSIC  
 Music program. Allows entry of notes  
 of a song through the sense switches,  
 and subsequent playing of the song  
 on the Altair. Modified version of  
 Steve Dompier's program.

ALTAIR SOFTWARE LIBRARY

#4-14-761 - \$2.00

Author: Rich Schaal  
Length: 92 lines (Altair BASIC)  
Title: BASIC Program Resequencer  
This program reads a program CSAVEd  
on cassette into memory and then re-  
sequences it. (Changes the line  
numbers and line references.)

#4-15-761 - \$2.00

Author: Gerhald Hansel  
Length: 42 lines (IBM BASIC)  
Title: LOG 10  
Prints a table of Base 10 logarithms.

#4-15-762 - \$2.00

Authors: Marc Montemorra & Glenn  
Sherman  
Length: About 230 lines (BASIC)  
Title: CATCH  
Plays a game where you chase the  
computer inside a two-dimensional  
(5x5) matrix.

#4-15-763 - \$2.00

Authors: Marc Montemorra & Glenn  
Sherman  
Length: 88 lines (BASIC)  
Title: DAZE  
This program calculates the number  
of days between two calendar dates.

#4-19-761 - \$2.00

Author: Lynn Cochran  
Length: 143 lines (Altair BASIC)  
Title: STARTREK  
Well-written BASIC program for game  
based on popular TV show. Needs 12K  
total of memory with 8K BASIC.



#4-27-761 - \$2.00

Author: Gerald Hansel

Length: 66 bytes

Title: Trig Table (BASIC)

Prints a trig table of sine, cosine and tangent functions for selected angles.

#4-27-762 - \$2.00

Author: Ron Santore

Length: Slightly greater than 1K bytes

Title: Button

Plays "guess who has the button" game on an ASCII terminal.

#4-27-763 - \$2.00

Author: Gerald Hansel

Length: 60 lines (BASIC)

Title: Roulette

Plays roulette against house by using doubling strategy.

#4-27-764 - \$2.00

Author: Walter King

Length: 75 bytes

Title: ACR Diagnostic

Thorough routines for checkout and alignment of ACR board with extensive error reporting.

#4-27-765 - \$2.00

Author: Erik Mueller

Length: 256 bytes

Title: Horse Race

Five horses race across screen of TVT.

#4-27-766 - \$2.00

Author: George Rompot

Length: 64 bytes

Title: INTD

Breakpoint routine to use in conjunction with JAMON to display registers and stack pointer. RST 0 is used to set breakpoints.

#4-27-767 - \$2.00

Author: David W. Dodge

Length: About 300 lines (BASIC)

Title: LCM

Computer Assisted Instruction (CAI) program teaches how to add fractions with different denominators.

#5-3-761 - \$2.00

Author: James Erlach

Length: 36 lines (Altair BASIC)

Title: REACTION

Tests your reaction time by timing how long it takes you to hit a terminal key after the computer rings a bell.

#5-3-762 - \$2.00

Author: Mitchell Wolrich

Length: 107 lines BASIC

Title: Missile Plane

Game in which one player flies a plane and the other player tries to shoot him down with a missile.

#5-3-763 - \$2.00

Author: Mitchell Wolrich

Length: 140 lines (BAIG)

Title: YUM

Plays Yahtze game. All instructions and prompts are in French.

#5-3-764 - \$2.00

Author: George Rompot

Length: 197 bytes

Title: TARGET

Plays a game where missiles are shot at a moving target. Score is kept on the screen of VDM-1.

#5-4-761 - \$2.00

Author: Bill Thompson

Length: 304 lines (HP BASIC)

Title: Least Squares

Performs least squares of six different curves to a set of data points.

#5-4-762 - \$2.00

Author: Bill Thompson

Length: 141 lines (HP BASIC)

Title: Polar Plotting

Calculates and plots a function on a polar graph.

#5-4-763 - \$2.00

Author: Bill Thompson

Length: 375 lines (HP BASIC)

Title: Multiple Linear Regression

Program performs multiple linear regression analysis for one independent variable and up to six independent transforms.

ALTAIR SOFTWARE LIBRARY

#5-6-761 - \$2.00

Author: Craig Pearce  
Length: 43 lines (Altair BASIC)  
Title: BAGELS  
Plays familiar 3-digit number guessing game.

#5-6-762 - \$2.00

Author: Craig Pearce  
Length: 19 lines (Altair BASIC)  
Title: Number Predictor  
Number guessing game. Exceptionally well documented.

#5-6-763 - \$2.00

Author: Craig Pearce  
Length: 24 lines (Altair BASIC)  
Title: Day of the Week  
Calculates day of the week for any date later than September 14, 1752.

#5-14-761 - \$2.00

Author: Paul Krystosek  
Length: 196 bytes  
Title: Morse Code Sending from Keyboard

#5-14-762 - \$2.00

Author: George Rompot  
Length: 23 bytes  
Title: Screen Fill  
Moves strings of text to VDM-1 display buffer.

#5-14-763 - \$2.00

Author: George Rompot  
Length: 335 bytes  
Title: Shooting Stars  
Plays "Shooting Stars" game found in May 1976 issue of Byte magazine.  
VDM-1 required for display.

#5-24-763 - \$15.00

Author: Jim Gerow  
Length: 1800 lines  
Title: 6800 Cross Assembler  
Written in FORTRAN.

- #5-17-761--\$2.00  
 Author: Alan Miller  
 Length: 24 lines BASIC  
 Title: SOLVIT  
 Subroutine for curve fitting and solution of simultaneous equations.
- #5-20-761--\$2.00  
 Author: Bill Thompson  
 Length: 168 lines BASIC  
 Title: Annuity Calculations  
 Interesting program for interest calculations.
- #5-20-762--\$2.00  
 Author: Bill Thompson  
 Length: 224 lines BASIC  
 Title: Annuity Calculations #2  
 Same as #5-20-761 except uses WRITE and FORMAT (HP BASIC) instead of PRINT USING.
- #5-20-763--\$2.00  
 Author: Bill Thompson  
 Length: 48 lines BASIC  
 Title: Savings  
 Calculates the total yield of an investment.
- #5-20-764--\$2.00  
 Author: Bill Thompson  
 Length: 47 lines BASIC  
 Title: True Annual Interest  
 Calculates the true annual interest rate charges on an installment loan.
- #5-20-765--\$2.00  
 Author: Bill Thompson  
 Length: 103 lines  
 Title: Cash Flow and Discounted Rate of Return  
 Calculates cash flow and discounted rate of return.
- #5-20-766--\$2.00  
 Author: Bill Thompson  
 Length: 212 lines  
 Title: Polynomial Curve Fit  
 Calculates polynomial fit using least-squares approximation method.
- #5-21-761--\$5.00  
 Author: John Trautschold  
 Length: 1K bytes  
 Title: VLCT Octal Monitor  
 System monitor for use with VLCT.
- #5-24-761--\$2.00  
 Author: JGG Ashrad  
 Length: 79 lines BASIC  
 Title: Radio Code  
 Produces Morse radio code. Includes a schematic for a tone oscillator to be used by the program.
- #5-24-762--\$2.00  
 Author: Walter King  
 Length: 50 bytes  
 Title: Baudot 5-Level Tape Loader  
 Loads object code from 5-level paper tape.
- #5-24-765--\$2.00  
 Author: Walter King  
 Length: 71 bytes  
 Title: Baudot 5-Level Tape Dumper  
 Punches 5-level object tapes which can be read by #5-24-762.
- #5-25-761--\$2.00  
 Author: Robert Wilcox  
 Length: 35 lines BASIC  
 Title: Punch Tape Label Program  
 Punches human-readable labels on ASR33 paper tape.
- #5-25-762--\$2.00  
 Author: Robert Wilcox  
 Length: 40 lines BASIC  
 Title: Punch Tape Label Program #2  
 Fancy version of #5-25-761. Punches leader, label, and more leader.
- #5-27-761--\$2.00  
 Author: George Rompot  
 Length: 180 bytes  
 Title: JAMON Mods-Hex Input & Output  
 Adds hexadecimal input and output to JAMON while retaining present octal capabilities.
- #6-1-761--\$2.00  
 Author: Dale Travis  
 Length: 32 lines BASIC  
 Title: Lister  
 Reads paper tapes and produces a page formatted listing.
- #6-1-762--\$2.00  
 Author: Dale Travis  
 Length: 103 lines BASIC  
 Title: Square  
 Plays the game of Square.

ALTAIR SOFTWARE LIBRARY

#6-1-763--\$2.00

Author: Dale Travis  
Length: 97 lines BASIC  
Title: Kingdom  
Plays the game of Kingdom.

#6-1-764--\$2.00

Author: Dale Travis  
Length: 159 lines BASIC  
Title: Dodgem  
Plays the game of Dodgem.

#6-2-761--\$5.00

Author: Alan Miller  
Length: 1K bytes  
Title: PROM on 1K  
System Monitor for 1K of PROM or RAM.  
An extension of #3-22-761.

#6-3-761--\$2.00

Author: Alan Miller  
Length: 40 lines BASIC  
Title: P PLOT  
Produces dual printer plots.

#6-7-761--\$2.00

Author: Herb Archer  
Length: 128 Bytes  
Title: Pong  
Players paddle a bit across the  
front panel LEDs.

#6-11-761--\$2.00

Author: Roger Frank  
Length: 10 Lines BASIC  
Title: Tape ID  
Determines and prints the CSAVE  
character for CSAVED files.

#6-14-761--\$2.00

Author: Roy Hann and Alan Menezes  
Length: 146 lines BASIC  
Title: Lunar Landing Game  
Plays an extended version of Lunar  
Lander.

#6-14-762--\$2.00

Author: Jim Salem  
Length: 55 bytes  
Title: Keyload  
A simple ASCII-to-octal keyboard  
loader.

#6-16-761--\$2.00

Author: Martin Eastburn  
Length: 32 bytes  
Title: Super Time Counter  
Generates program time delays with  
accuracy to ±1 sec/min.

#6-18-761 - \$2.00

Author: James B. Hansen  
Length: 215 bytes  
Title: ASCII to Baudot Translate  
Routine

#6-22-761 - \$2.00

Author: Jim Wiggins  
Length: 106 Bytes  
186 Bytes  
Title: Tape Load-Octal TLQ  
Tape Dump-Octal TDQ  
for Baudot Teletypes

#6-25-761 - \$2.00

Author: Alan R. Miller  
Length: 12 Lines BASIC  
Title: "ERF"  
Evaluates the error function.

#6-25-762 - \$2.00

Author: Alan R. Miller  
Length: 4 Lines BASIC  
Title: GAMMA  
Evaluates the Gamma Function.

#6-28-761 - \$2.00

Author: Jim Salem  
Length: 71 bytes  
Title: Guess 1  
Random number guessing game.

#6-28-762 - \$2.00

Author: Jim Salem  
Length: 88 bytes  
Title: Guess 2  
Random number guessing game.

ALTAIR SOFTWARE LIBRARY

#6-29-761 - \$2.00

Author: Alan R. Miller  
Length: 7 lines BASIC  
Title: "DROOT" Double  
Precision square root.

#7-6-761 - \$2.00

Author: Alan R. Miller  
Length: 9 lines BASIC  
Title: BASIC Subroutine Newton  
Newton's method for finding solution  
to  $8(x) = 0$ .

#7-7-761 - \$2.00

Author: Jim Blackstone  
Length: 635 bytes (hex notation)  
Title: 8080 Debug Package  
Access and modify memory  
Copy memory from one block to  
another  
Dump memory to Teletype printer  
Fill memory block  
Go To program  
Print registers and flags.

#7-8-761 - \$15.00, paper tape - \$15.00

Author: Jim Gerow  
Length: 300 Lines BASIC  
Title: 8800 Assembler  
Altair 8800 Assembler written in  
Altair BASIC.

#7-12-761 - \$15.00

Author: Peter Smart  
Length: 1700 Lines (Fortran)  
Title: 6800 cross assembler  
Altair 680 cross assembler  
written in CDC Cyber 74  
Fortran

#7-12-762 - \$2.00

Author: Peter Graulich  
Length: 225 Lines (BASIC)  
Title: Bio-rhythms  
Plots Bio-rhythm cycles

#7-13-761 - \$2.00

Author: Harold Corbin  
Length: 90 lines (BASIC)  
Title: Depreciation  
Program to compute deprecia-  
tion by 4 methods.

#7-14-761 - \$2.00

Author: Roy Hann  
Length: 15 lines (Fortran)  
Titles: Finds value for Pi  
Finds a value for PI  
by Wallis' formula.

#7-14-762 - \$2.00

Author: Roy Hann  
Length: 200 lines (ICL 1900  
Fortran)  
Title: Least-square curve-fitting  
program fits a curve to a  
set of experimental points  
by using least square method.

#7-19-761 \$2.00

Author: Charles Wells  
Length: 300 bytes (total) (assembler)  
Title: Baudot Printer Program  
A patch and some additions  
to 3.2 Basic to allow it  
to use a Baudot Printer.

#7-19-762 - no charge

Author: Matthew Smith  
Length: 12 Lines (Basic)  
Title: Bases  
Base conversion subroutine

ALTAIR SOFTWARE LIBRARY

#7-20-761 - \$2.00

Author: Jeb Long  
Length: 500 Bytes (assembler)  
Title: Intelligent terminal  
Interfaces an Altair 8800  
to a time sharing computer

#7-22-761 - \$2.00

Author: J.W. Klotz  
Length: 350 lines (5980 bytes)  
(BASIC)  
Title: Math drill  
CAI Program for teaching  
elementary math.

#7-22-762 - \$2.00

Author: Keith Fischer  
Length: 65 lines (disk extended  
basic)  
Title: Reseq +  
Resequences Basic programs  
on disk files.

#7-22-763 - \$2.00

Author: George W. Rompot  
Length: 150 Bytes (Machine Language)  
Title: Creed  
Creed 75 output driver for  
use with JAMON.

#7-26-761 - \$2.00

Author: Tom Simpson  
Length: 170 Lines (Basic)  
Title: TTT 3D  
Plays the game of 3D  
tic tac toe

#7-28-761 - \$2.00

Author: Phillip L. Hansford  
Length: 25 Bytes + table (Assembler)  
Title: Jam Table  
An efficient command table  
lookup change to the JAMON  
monitor (#117752)

#7-29-761 - \$2.00

Author: David Vomlehn  
Length: 10 bytes (Assembler)  
Title: Complete memory clear.  
A short memory clearing  
program that clears entire  
memory, including itself.

#7-29-762 - \$5.00

Author: Darrel J. Van Buer  
Length: 749 + 184 (Max) bytes  
(assembler)  
Title: Interrupt driven multi-pro-  
cessing.  
Multi-tasking system driven  
by interrupts from a 2 SIO  
board.



#8-9-761 - \$2.00

Author: Alan Miller  
 Length: 200 Lines Altair BASIC  
 Title: QUBIC  
 Plays 3D tic-tac-toe.

#8-10-761 - \$2.00

Author: Alan Miller  
 Length: 7 lines Altair BASIC  
 Title: Numerical Integration  
 Numerical integration by Simpson's  
 method and Trapezoidal Rule.

#8-13-761 - \$2.00

Author: Erik Mueller  
 Length: 7,000 (octal) bytes  
 Title: MINOL  
 Interpreter for a 4K subset of  
 BASIC.

#8-16-761 - \$2.00

Author: Roger Frank  
 Length: 7 lines Altair BASIC  
 Title: Memory Size  
 This program resets BASIC memory  
 sizes without restarting (for 3-2  
 only).

#8-19-761 - \$2.00

Author: Alan Miller  
 Length: 5 lines Altair BASIC  
 Title: ARCSIN  
 Program to compute arcsin and arccos.

#8-23-761 - \$2.00

Author: Keith Fischer  
 Length: 150 lines Altair BASIC  
 Title: BECO  
 Powerful Text Editor.

#8-26-761 - \$2.00

Author: Roger Frank  
 Length: 22 lines Altair BASIC  
 Title: Memory Test  
 Program to test unused memory.

#8-27-761 - \$2.00

Author: John Stanton  
 Length: 52 bytes  
 Title: 4PIO KBD/PTR Loader  
 Loads data into memory from keyboard  
 and echoes it.

ALTAIR SOFTWARE LIBRARY

#8-28-761 - \$2.00

Author: J. David Green

Length: 168 lines Altair BASIC

Title: Horse Racing

A horse racing game that involves betting on the races.

#9-1-761 - \$15.00

Author: Kenneth Aird

Length: 41,000 bytes FORTRAN

Title: M6800 Cross Assembler

Very well written FORTRAN Cross Assembler for M6800.

#9-8-761 - \$2.00  
Author: Alan R. Miller  
Length: 50 lines Altair BASIC  
Title: Teaser

Matrix number guessing game.

#9-10-761 - \$2.00  
Author: N. Craig Brown  
Length: 20 lines Altair BASIC  
Title: Christmas Tree

Program to print christmas tree.

#9-17-761 - \$2.00  
Author: Robert Wilcox  
Length: 16 lines Altair BASIC, 70  
bytes assembler  
Title: Basic Terminal Change

Program to allow version 3.2 of  
BASIC without Console command to  
switch to alternate console.

#9-27-761 - \$2.00  
Author: John Robison  
Length: 265 bytes assembler  
Title: Keyboard Entry/Display

Interrupt driven storage display/  
modification program.

#10-4-761 - \$2.00  
Author: Philip Romanik  
Length: 20 lines HP BASIC  
Title: Printer Subroutine

Program to break strings at word  
boundaries.

ALTAIR SOFTWARE LIBRARY

ALTAIR SOFTWARE LIBRARY

#10-12-761 \$2.00

Author: Darrel Van Buer  
Length: 16 lines Altair BASIC  
Title: Inverse Normal Distribution  
Function

#10-15-761 \$2.00

Author: Henry E. Lacy  
Length: 153 bytes/136 bytes  
Title: Decimal Support Package  
(requires #8-18-752)/  
Decimal Output Routine

#10-18-761 \$2.00

Author: Jay Lucas  
Length: 100 bytes  
Title: Memory Test  
Assembler memory test, a very  
thorough one.

#10-19-761 \$2.00

Author: Lee Wilkinson  
Length: 60 lines Altair Basic  
Title: Accounts Receivable

#10-21-761 \$2.00

Author: Philip Romanik  
Length: 30 lines HP BASIC  
Title: Random  
Random Number Generator

#10-21-762 \$2.00

Author: Henry E. Lacy  
Length: 74 bytes  
Title: Self-incrementing Hand  
Loader

#10-25-761 \$2.00

Author: Byron Johnson  
Length: 2 lines BASIC  
Title: Extended Precision Square  
Roots.

#10-25-761 \$2.00

Author: Byron Johnson  
Length: 7 lines BASIC  
Title: BASIC Line Renumbering  
Renumbering program for 3.2 Extended  
BASIC.

#10-27-761 \$2.00

Author: Steven Armbruster  
Length: 210 bytes 680 Assembler  
Title: Political Influence

#11-4-761 \$2.00

Author: Gordon Berry  
Length: 32 lines Altair BASIC  
Title: Standardized and Weighted  
Scores

#11-4-762 \$2.00

Author: Gordon Berry  
Length: 300 bytes  
Title: Print Registers



12-13-761--\$2.00

Author: Willard I. Nico

Length: 9 lines BASIC

Title: "Dec-Hex/Hex-Dec"

Two subroutines: one for converting decimal values to a Hexadecimal string and a second to convert a Hexadecimal string to a decimal value.

12-14-761--\$2.00

Author: Frank R. McCoy

Length: 150 lines BASIC

Title: "Basic Renumbering Program"

Renumber and reformat program for programs written in MITS Extended Disk BASIC.

1-18-771--\$2.00

Author: Alan R. Miller

Length: 1K

Title: PROMON2

PROMON2 is an improved version of PROMON1K (#6-2-761).

1-18-773--\$5.00

Author: Darrell J. Van Buer

Length: 1776 lines Assembly

Title: "Multiprogramming with a Variable Number of Tasks (MVT)"

Interrupt processing and synchronization for multiprogramming, also provides routines for storage management, for dynamic program control and for dynamic creation and destruction of independently running programs.

1-18-774--\$2.00

Author: John R. Lynch

Length: 119 lines BASIC

Title: "T-Twelve-Tone Row Generator"

Output of this program is used in music composition.

1-18-775--\$5.00

Author: Henry Everett Lacy

Length: 635 bytes

Title: "Function Package"

Provides functions for decimal support Package #10-15-761.

Includes Logarithmic, Exponential, Trigonometric, Real Powers, and has useful conversion routines.

1-21-771--\$2.00

Author: Alan Miller

Length: 1/2K + 1K Work Space

Title: "Game of Life"

For Altair 8800. Game deals with the life in various cells on a rectangular grid.

2-9-771--\$2.00

Author: Peter Smart

Length: 16 lines

Title: "Game of Life" for Altair 6800

Game deals with the life in various cells on a rectangular grid.

2-14-771--\$2.00

Author: Baron L. Ader

Length: 27 bytes

Title: "Subroutine 'Text' for  
Altair 6800"

Machine or Assembly Language routine allows output of text strings or Memory dumps to Teletype easily.

2-16-771--\$3.00

Author: Ron Santore

Length: 1.5 bytes, 8800 Assembly

Title: "WAMPUS"

An interesting game; the Wampus you are hunting lives in a dodecahedron maze of 20 caves. Danger lurks from Wumpus, Superbats, and bottomless pits. Well documented with instructions for changing the I/O routines.



## Altair User Group Software Library

AUG Library Number: 7009  
Author: Loring C. White  
Title: Checkbook Balancing Program  
Machine: 8800 (Can be used on 680 with  
minor mods)  
Language: Altair 8K BASIC, Rev. 3.2  
Length: 4 pages of listing

Provides a listing of outstanding checks in data statements, a listing of cancelled checks, which have been entered in the system and an optional new listing of outstanding checks for updating the program data after each statement is processed.

Available as: Listing (\$4)

AUG Library Number: 7010  
Author: Jim Gerow  
Title: XAM8800B — 8800 Cross  
Assembler  
Machine: Large host computer  
Language: Fortran IV  
Length: Approximately 1600 cards

A new version of Jim Gerow's popular Cross Assembler (AUG 5-21-751) which won the 1975-76 Software Contest. Supplied as a card deck, the Cross Assembler runs on a large host computer, such as a 370, 1110, 6500, etc., and produces object code for the Altair 8800 computer (the target machine). With minor modification to the simulator, this Cross Assembler will operate with Jim's Simulator program, AUG 11-23-751.

Available as: Listing (\$15)

Card deck with listing  
(\$30)

AUG Library Number: 7011  
Author: Jim Gerow  
Title: Minimonitor  
Machine: 8800  
Language: Machine  
Length:

A machine readable form of Jim's popular Minimonitor, an excellent development monitor, previously supplied as 12-03-751.

Available as: Paper tape (\$10) or  
cassette with listing (\$10)

AUG Library Number: 7012  
Author: Martin H. Eastburn  
Title: Tape Print Block Letters  
Machine: 8800  
Language: Machine (Octal)  
Length: 3077 bytes, max.

A set of three routines that punches a "human readable" character on a paper tape for each character typed on a keyboard. Includes excellent documentation.

Available as: Listing (\$6)

AUG Library Number: 7013  
Author: Jim Gerow  
Title: YAHTZEETM  
Machine: 8800 (can be run on 680)  
Language: Altair 8K BASIC  
Length:

Jim Gerow's excellent implementation of Yahtzee™. The listing appeared in the May 1977 COMPUTER NOTES. CN article indicates I/O changes if needed.

Available as: Paper tape with listing  
(\$10)

Cassette with listing (\$10)

AUG Library Number: 7014  
Author: Dr. John J. Herro  
Title: Complex Number Interpreter for BASIC  
Machine: 8800 (can be run on 680 with modification)  
Language: BASIC  
Length: 35 lines of code

A BASIC program or subroutine written in a compact form that handles the manipulation of complex numbers. An excellent user manual comprises 29 of the 30 pages supplied as the listing.

Available as: Listing (\$6)

Paper tape with listing  
(\$15)

Cassette with listing (\$15)

AUG Library Number: 7015  
Author: Robert Walker  
Title: 680 Modified Punch Program  
Machine: 680  
Length:

An economy-minded routine to punch a specified part of memory on paper tape.

Available as: Listing (\$4)