

```

DOC.C
/*_ doc.c Thu Sep 27 1984 Modified by: bjorn */
/*****
*
*          ABEL -- DOCUMENT
*
*   DOC.C - Start of program.
*
*   File Rev.          Date          Author
*   --
*   0.25              Jan 25, 1984   Charles Olivier
*   0.30              Jan 31, 1984   Change rev. number
*   0.30              Feb 6, 1984   Change to rev 0.30
*   0.30              Feb 6, 1984   Added a function to determine
*                                   the machine type.
*   0.30a             Feb 9, 1984   Read intermediate file flags
*   0.30c             Mar. 6, 1984   Fixed fuse column numbers
*   0.30d             Mar. 7, 1984   Format set in symbol list.
*                                   Used TOTSIGS instead of SIGMAX
*                                   in ldnnode().
*   1.00              Mar. 19, 1984  At. 1st release.
*   1.10              May 29, 1984  New getcmd() implemented.
*
*   Data I/O Corp. Redmond WA      Copyri ght 1983
*
*   Global functi ons defi ned:
*       None.
*
*   Stati c functi ons defi ned:
*       ini t(), moremodul es().
*/

```

```

#include <stdio.h>
#include "doc.h"

```

```

extern char filename[];
extern int margin, numsym;
extern int pageno;
extern DLIST *devhead;
extern char curdate[];
extern int linemax;
extern LIST *consthd;
extern int section_number;
extern int titlef;
extern char *title;
extern flagty flag;
extern FILE *fin, *fout;
extern bool fuse_info, devopened, process;
extern int xc;
extern char *buffer;
extern char *bufptr;
extern char *new();
extern int bufsiz;
extern int getcmd();
extern char *Opt_str;

```

```

/*****
*   Main module: DOCUMENT GENERATOR PROGRAM
*/
main(argc, argv)
int argc;
char *argv[];
{

```